
2.4MM CORTICAL SCREW

Product Code: BOI.185

| Size | 2.4mm |
|---------------------|----------------------------|
| Length | O6mm to 40mm (Diff. 2.0mm) |
| Thread Diameter | 2.4mm |
| Use Drills Diameter | 1.8mm |
| Screw Driver | 2.4mm Hex |
| Material | Stainless steel, Titanium |





2.7MM CORTICAL SCREW

Product Code: BOI.101

| Size | 2.7mm |
|---------------------|----------------------------|
| Length | 06mm to 40mm (Diff. 2.0mm) |
| Thread Diameter | 2.7mm |
| Use Drills Diameter | 2.2mm |
| Screw Driver | 2.7mm Hex |
| Material | Stainless Steel, Titanium |

3.5MM CORTICAL SCREW

| Size | 3.5mm |
|---------------------|----------------------------|
| Length | 10mm to 60mm (Diff. 2.0mm) |
| Thread Diameter | 3.5mm |
| Use Drills Diameter | 2.5mm |
| Screw Driver | 3.5mm Hex |
| Material | Stainless Steel, Titanium |



4.0MM CANCELLOUS SCREW (16MM THREAD LENGTH)

Product Code: BOI.104

| Size | 4.0mm |
|---------------------|--|
| Length | 10mm to 30mm(Diff. 2.0mm) 35mm to 75mm(Diff. 5.0mm) |
| Thread Diameter | 4.0mm |
| Use Drills Diameter | 3.2mm |
| Screw Driver | 3.5mm Hex |
| Material | Stainless steel, Titanium |





4.0MM CANCELLOUS SCREW (FULL THREAD)

Product Code: BOI.105

| Size | 4.0mm |
|---------------------|--|
| Length | 10mm to 30mm(Diff. 2.0mm) 35mm to 75mm(Diff. 5.0mm) |
| Thread Diameter | 4.0mm |
| Use Drills Diameter | 3.2mm |
| Screw Driver | 3.5mm Hex |
| Material | Stainless Steel, Titanium |

4.0MM CANNULATED SCREW (16MM THREAD LENGTH)

| Size | 4.0mm |
|---------------------|--|
| Length | 10mm to 30mm(Diff. 2.0mm) 35mm to 75mm(Diff. 5.0mm) |
| Thread Diameter | 4.0mm |
| Use Drills Diameter | 3.2mm |
| Screw Driver | 3.5mm Hex |
| Material | Stainless Steel, Titanium |



4.0MM CANNULATED SCREW (FULL THREAD)

Product Code: BOI.107

| Size | 4.0mm |
|---------------------|--|
| Length | 10mm to 30mm(Diff. 2.0mm) 35mm to 75mm(Diff. 5.0mm) |
| Thread Diameter | 4.0mm |
| Use Drills Diameter | 3.2mm |
| Screw Driver | 3.5mm Hex |
| Material | Stainless steel, Titanium |





4.5MM CORTICAL SCREW

Product Code: BOI.109

| Size | 4.5mm |
|---------------------|---------------------------|
| Length | 16mm to 70mm(Diff. 2.0mm) |
| Thread Diameter | 4.5mm |
| Use Drills Diameter | 3.2mm/3.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless Steel, Titanium |

4.5MM MALLEOLAR SCREW

| Size | 4.5mm |
|---------------------|----------------------------|
| Length | 20mm to 100mm(Diff. 5.0mm) |
| Thread Diameter | 4.5mm |
| Use Drills Diameter | 3.2mm/3.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless Steel, Titanium |



6.5MM CANCELLOUS SCREW (16MM THREAD LENGTH)

Product Code: **BOI.111**

| Size | 6.5mm |
|---------------------|----------------------------|
| Length | 20mm to 110mm(Diff. 5.0mm) |
| Thread Diameter | 6.5mm |
| Use Drills Diameter | 4.0mm/4.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless steel, Titanium |





6.5MM CANCELLOUS SCREW (32MM THREAD LENGTH)

Product Code: **BOI.112**

| Size | 6.5mm |
|---------------------|----------------------------|
| Length | 20mm to 110mm(Diff. 5.0mm) |
| Thread Diameter | 6.5mm |
| Use Drills Diameter | 4.0mm/4.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless Steel, Titanium |

6.5MM CANCELLOUS SCREW (FULL THREAD)

| Size | 6.5mm |
|---------------------|----------------------------|
| Length | 20mm to 110mm(Diff. 5.0mm) |
| Thread Diameter | 6.5mm |
| Use Drills Diameter | 4.0mm/4.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless Steel, Titanium |



6.5MM CANNULATED SCREW (16MM THREAD LENGTH)

Product Code: BOI.114

| Size | 6.5mm |
|---------------------|----------------------------|
| Length | 20mm to 110mm(Diff. 5.0mm) |
| Thread Diameter | 6.5mm |
| Use Drills Diameter | 4.0mm/4.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless steel, Titanium |





6.5MM CANNULATED SCREW (32MM THREAD LENGTH)

Product Code: BOI.115

| Size | 6.5mm |
|---------------------|----------------------------|
| Length | 20mm to 110mm(Diff. 5.0mm) |
| Thread Diameter | 6.5mm |
| Use Drills Diameter | 4.0mm/4.5mm |
| Screw Driver | 4.5mm Hex |
| Material | Stainless Steel, Titanium |

6.5MM CANNULATED SCREW (FULL THREAD)

| Size | 6.5mm |
|---------------------|----------------------------|
| Length | 20mm to 110mm(Diff. 5.0mm) |
| Thread Diameter | 6.5mm |
| Use Drills Diameter | 4.0mm/4.5mm |
| Screw Driver | 4.5mm Hex |




HERBERT SCREW

Product Code: BOI.116

| Size | 4.0mm |
|---------------------|---------------------------|
| Length | 10mm to 50mm(Diff. 2.0mm) |
| Thread Diameter | 3.5mm/4.0mm & 4.0mm/3.0mm |
| Use Drills Diameter | 2.7mm/3.2mm |
| Screw Driver | 3.5mm Hex |
| Material | Stainless steel, Titanium |





DHS LAG SCREW

Product Code: BOI.118

| Holes | 12.5mm |
|-----------------|----------------------------|
| Length | 50mm to 115mm(Diff. 5.0mm) |
| Thread Diameter | 12.5mm |
| Material | Stainless Steel, Titanium |

DHS LAG SCREW (HEXAGONAL)

| Size | 12.5mm |
|-----------------|----------------------------|
| Length | 50mm to 115mm(Diff. 5.0mm) |
| Thread Diameter | 12.5mm |
| Material | Stainless Steel, Titanium |



DHS LAG SCREW PEDIATRICS

| Length | 40mm to 110mm(Diff. 5.0mm) |
|-----------------|----------------------------|
| Thread Diameter | 10mm |
| Material | Stainless steel, Titanium |

